

(GB) Page 1 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 22.10.2024 / 0001 Replacing version dated / version: 22.10.2024 / 0001 Valid from: 22.10.2024 PDF print date: 23.10.2024 AERO Aircraft Cleaner

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by **Regulation (EU) 2020/878)**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

AERO Aircraft Cleaner

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture: Cleaner

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

œ

LIQUI MOLY GmbH Jerg-Wieland-Str. 4 89081 Ulm-Lehr Tel.: (+49) 0731-1420-0 Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Landspitali- The National University Hospital of Iceland, tel. +354 543 2222 or 112 (valid only for Iceland) Telephone number of the company in case of emergencies: +49 (0) 700 / 24 112 112 (LMR)

+1 872 5888271 (LMR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) 1272/2008 (CLP) Hazard class Hazard category Hazard statement Eye Dam. 1 H318-Causes serious eye damage.

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)



Page 2 of 16

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 22.10.2024 / 0001 Replacing version dated / version: 22.10.2024 / 0001 Valid from: 22.10.2024 PDF print date: 23.10.2024 AERO Aircraft Cleaner



Danger

H318-Causes serious eye damage.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children.

P280-Wear eye protection / face protection.

P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310-Immediately call a POISON CENTER / doctor.

EUH208-Contains N-(2-hydroxyethyl)-N-[2-[(1-oxooctyl)amino]ethyl]-.beta.-alanine, 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Alcohols, C12-14, ethoxylated

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a. **3.2 Mixtures**

01-2119487984-16-XXXX
500-213-3
68439-50-9
3-<10
Eye Dam. 1, H318
Aquatic Acute 1, H400 (M=1)
Aquatic Chronic 3, H412
264-761-2
64265-45-8
0,1-<1
Eye Irrit. 2, H319
Skin Sens. 1B, H317
613-088-00-6
220-120-9



Page 3 of 16

ആ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 22.10.2024 / 0001 Replacing version dated / version: 22.10.2024 / 0001 Valid from: 22.10.2024 PDF print date: 23.10.2024 AERO Aircraft Cleaner

CAS	2634-33-5
content %	0,0036-<0,036
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Acute Tox. 2, H330
	Acute Tox. 4, H302
	Skin Irrit. 2, H315
	Eye Dam. 1, H318
	Skin Sens. 1A, H317
	Aquatic Acute 1, H400 (M=1)
	Aquatic Chronic 1, H410 (M=1)
Specific Concentration Limits and ATE	Skin Sens. 1A, H317: >=0,036 %
	ATE (oral): 450 mg/kg
	ATE (as inhalation, Dusts or mist): 0,21 mg/l/4h
	ATE (as inhalation, Vapours): 0,5 mg/l/4h

Pyridine-2-thiol 1-oxide, sodium salt	
Registration number (REACH)	
Index	613-344-00-7
EINECS, ELINCS, NLP, REACH-IT List-No.	223-296-5
CAS	3811-73-2
content %	0,001-<0,01
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	EUH070
	Acute Tox. 3, H311
	Acute Tox. 3, H331
	Acute Tox. 4, H302
	Skin Irrit. 2, H315
	Eye Irrit. 2, H319
	Skin Sens. 1, H317
	STOT RE 1, H372 (nervous system)
	Aquatic Acute 1, H400 (M=100)
	Aquatic Chronic 2, H411
Specific Concentration Limits and ATE	ATE (oral): 500 mg/kg
	ATE (dermal): 790 mg/kg
	ATE (as inhalation, Dusts or mist): 0,5 mg/l
	ATE (as inhalation, Vapours): 3 mg/l/4h

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

The addition of the highest concentrations listed here can result in a classification. Only when this classification is listed in Section 2 does it apply. In all other cases the total concentration is below the classification.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Not required.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses. Wash thoroughly for several minutes using copious water - call doctor immediately, have Data Sheet available. Protect uninjured eye. Follow-up examination by an ophthalmologist.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed



Page 4 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 22.10.2024 / 0001 Replacing version dated / version: 22.10.2024 / 0001 Valid from: 22.10.2024 PDF print date: 23.10.2024 AERO Aircraft Cleaner

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours. eyes, reddened watering eyes irritation of the eyes reddening of the skin Allergic reaction possible.

4.3 Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water jet spray/foam/CO2/dry extinguisher Unsuitable extinguishing media

None known

ആ

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of nitrogen Oxides of carbon Toxic gases

5.3 Advice for firefighters

For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Keep unprotected persons away.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling



Page 5 of 16

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 22.10.2024 / 0001 Replacing version dated / version: 22.10.2024 / 0001 Valid from: 22.10.2024 PDF print date: 23.10.2024 AERO Aircraft Cleaner

7.1.1 General recommendations

Ensure good ventilation. Avoid contact with eyes or skin. Eating, drinking, smoking, as well as food-storage, is prohibited in work-room. Observe directions on label and instructions for use. Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals. Store product closed and only in original packing. Not to be stored in gangways or stair wells. Store at room temperature. Protect from frost.

7.3 Specific end use(s)

No information available at present.

Observe the instructions for good working practice and the recommendations for risk assessment.

Consult hazardous substance information systems, e.g. from the professional associations, the chemical industry or different industries, depending on the application (building materials, wood, chemistry, laboratory, leather, metal).

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1,2-benzisothiazol-3(2H)						
Area of application	Exposure route / Environmental	Effect on health	Descriptor	Value	Unit	Note
	compartment					
	Environment - freshwater		PNEC	0,00403	mg/l	
	Environment - marine		PNEC	0,000403	mg/l	
	Environment - sediment, freshwater		PNEC	0,0499	mg/kg dw	
	Environment - sediment, marine		PNEC	0,00499	mg/kg dw	
	Environment - soil		PNEC	3	mg/kg dw	
	Environment - sewage treatment plant		PNEC	1,03	mg/l	
	Environment - water, sporadic (intermittent) release		PNEC	0,0011	mg/l	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	1,2	mg/m3	
Consumer	Human - dermal	Long term, systemic effects	DNEL	0,345	mg/kg bw/day	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	6,81	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	0,966	mg/kg bw/day	

8.2 Exposure controls 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.



Page 6 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 22.10.2024 / 0001 Replacing version dated / version: 22.10.2024 / 0001 Valid from: 22.10.2024 PDF print date: 23.10.2024 AERO Aircraft Cleaner

Applies only if maximum permissible exposure values are listed here.

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Chemical resistant protective gloves (EN ISO 374). If applicable Protective nitrile gloves (EN ISO 374). Protective gloves in butyl rubber (EN ISO 374). Minimum layer thickness in mm: >= 0,5 Permeation time (penetration time) in minutes: >= 120 Protective hand cream recommended. The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary.

Thermal hazards: Not applicable

ആ

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Light yellow
Odour:	Characteristic, Slightly
Melting point/freezing point:	There is no information available on this parameter.
Boiling point or initial boiling point and boiling range:	~100 °C
Flammability:	There is no information available on this parameter.
Lower explosion limit:	There is no information available on this parameter.
Upper explosion limit:	There is no information available on this parameter.
Flash point:	>65 °C
Auto-ignition temperature:	No
Decomposition temperature:	There is no information available on this parameter.
pH:	7,5 (20°C, DIN 19268)
Kinematic viscosity:	There is no information available on this parameter.
Solubility:	Soluble
Partition coefficient n-octanol/water (log value):	Does not apply to mixtures.



Page 7 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 22.10.2024 / 0001 Replacing version dated / version: 22.10.2024 / 0001 Valid from: 22.10.2024 PDF print date: 23.10.2024 AERO Aircraft Cleaner

Vapour pressure: Density and/or relative density: Relative vapour density: Particle characteristics:

9.2 Other information

Explosives: Oxidising liquids: Solvents content:

œ

23 hPa (20°C) 1,01 g/cm3 (20°C, DIN 51757) There is no information available on this parameter. Does not apply to liquids.

Product is not explosive. No 0 %

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested. **10.2 Chemical stability** Stable with proper storage and handling. **10.3 Possibility of hazardous reactions** No dangerous reactions are known. **10.4 Conditions to avoid** None known **10.5 Incompatible materials** None known **10.6 Hazardous decomposition products** No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification)

Toxicity / effect		Value	11	Ormoniam	Teet method	Nataa
	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal route:						n.d.a.
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye damage/irritation:						n.d.a.
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-RE):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.
· ·						
Alcohols, C12-14, ethoxylated						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>2000	mg/kg	Rat	OECD 401 (Acute Oral	
					Toxicity)	
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rabbit	OECD 402 (Acute	Analogous
					Dermal Toxicity)	conclusion
Acute toxicity, by inhalation:	LC50	>5	mg/l/4h	Rat	OECD 403 (Acute	Dust, Mist
					Inhalation Toxicity)	
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Not irritant
					Dermal	
					Irritation/Corrosion)	
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye	Eye Dam. 1
					Irritation/Corrosion)	



B						
Page 8 of 16						
Safety data sheet according to R) No 1907/2006	, Annex II (last	amended by Regu	Ilation (EU) 2020/878)	
Revision date / version: 22.10.20						
Replacing version dated / versior	n: 22.10.2024	/ 0001				
Valid from: 22.10.2024						
PDF print date: 23.10.2024						
AERO Aircraft Cleaner						
Deepirotony or alkin	1			Cuinaa nia		No (akin contact)
Respiratory or skin				Guinea pig	OECD 406 (Skin Sensitisation)	No (skin contact)
sensitisation: Germ cell mutagenicity:					OECD 471 (Bacterial	Negative
Germ cen mutagementy.					Reverse Mutation Test)	Negative
Germ cell mutagenicity:				Mammalian	OECD 473 (In Vitro	Negative,
Serin cen malagementy.				Marinnanan	Mammalian	Analogous
					Chromosome	conclusion
					Aberration Test)	
Reproductive toxicity:				Rat	OECD 416 (Two-	Negative,
					generation	Analogous
					Reproduction Toxicity	conclusion
					Study)	
Reproductive toxicity				Rat	OECD 422 (Combined	Negative, oral
Developmental toxicity):					Repeated Dose Tox.	
					Study with the	
					Reproduction/Developm.	
				_	Tox. Screening Test)	
Reproductive toxicity				Rat	OECD 414 (Prenatal	Negative, oral
Developmental toxicity):					Developmental Toxicity	
					Study)	
Reproductive toxicity (Effects				Rat	OECD 422 (Combined	Negative, oral
on fertility):					Repeated Dose Tox.	
					Study with the Reproduction/Developm.	
					Tox. Screening Test)	
Specific target organ toxicity -	NOAEL	>=1000	mg/kg	Rat	OECD 408 (Repeated	
epeated exposure (STOT-RE),	NOALL	2=1000	bw/d	itat	Dose 90-Day Oral	
oral:			500,0		Toxicity Study in	
, and the second s					Rodents)	
Specific target organ toxicity -	NOAEL	1000	mg/kg	Rat	OECD 422 (Combined	
epeated exposure (STOT-RE),			bw/d		Repeated Dose Tox.	
oral:					Study with the	
					Reproduction/Developm.	
					Tox. Screening Test)	
Symptoms:						eyes, reddened,
						watering eyes,
						blisters by skin-
						contact, stomach
						pain
I-(2-hydroxyethyl)-N-[2-[(1-oxo						NI 4
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>2000	mg/kg	Rat		
cute toxicity, by dermal route:	LD50	>2000	mg/kg	Rat		Not invito at
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal	Not irritant
arious ave domago/irritation				Rabbit	Irritation/Corrosion) OECD 405 (Acute Eye	Eye Irrit. 2
Serious eye damage/irritation:				Rappil		⊑ye IIII. Z
Respiratory or skin				Mouse	Irritation/Corrosion) OECD 429 (Skin	Skin Sens. 1B
ensitisation:				INICUSE	Sensitisation - Local	ONIT OCHO. ID
					Lymph Node Assay)	
Germ cell mutagenicity:	+				OECD 471 (Bacterial	Negative
orm oon matagementy.					Reverse Mutation Test)	rioganie
Germ cell mutagenicity:					OECD 473 (In Vitro	Negative
en en managemeny.					Mammalian	
					Chromosome	
					Aberration Test)	
					OECD 476 (In Vitro	Negative
Germ cell mutagenicity:			1			
erm cell mutagenicity:					Mammalian Cell Gene	
erm cell mutagenicity:					Mammalian Cell Gene Mutation Test)	
Germ cell mutagenicity:	NOAEL	1000	mg/kg	Rat		
	NOAEL	1000	mg/kg	Rat		



Eye Irrit. 2

Skin Sens. 1

cornea opacity, cramps, fatigue, mucous membrane irritation, trembling

OECD 405 (Acute Eye Irritation/Corrosion)

OECD 429 (Skin

Rodents)

Sensitisation - Local Lymph Node Assay)

OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in

B Page 9 of 16						
0		No. 4007/000	C Annov II (loot a	ana ana ala al hay Da ay	visition (EU) 2020/070)	
Safety data sheet according to R		No 1907/2006	o, Annex II (last a	amended by Regi	Lilation (EU) 2020/878)	
Revision date / version: 22.10.20		10004				
Replacing version dated / versior	n: 22.10.2024	/ 0001				
Valid from: 22.10.2024						
PDF print date: 23.10.2024						
AERO Aircraft Cleaner						
1,2-benzisothiazol-3(2H)-one						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	1193	mg/kg	Rat		110103
Acute toxicity, by oral route:	LD50	490	mg/kg	Rat		
Acute toxicity, by oral route:	ATE	450	mg/kg			
Acute toxicity, by dermal route:	LD50	4115	mg/kg	Rat		
Acute toxicity, by inhalation:	ATE	0,5	mg/l/4h			Vapours
Acute toxicity, by inhalation:	ATE	0,21	mg/l/4h		OECD 403 (Acute	Dusts or mist
		0,21			Inhalation Toxicity)	
Skin corrosion/irritation:						Skin Irrit. 2
Serious eye damage/irritation:						Eye Dam. 1
Respiratory or skin				Guinea pig	OECD 406 (Skin	Skin Sens. 1
sensitisation:					Sensitisation)	
Germ cell mutagenicity:						Negative
Reproductive toxicity	NOAEL	112	mg/kg	Rat		Negative,
(Developmental toxicity):						FemaleOPPTS
						870.3800
Reproductive toxicity (Effects	NOAEL	56,6	mg/kg	Rat		Negative,
on fertility):			bw/d			FemaleOPPTS
						870.3800
Specific target organ toxicity -	NOAEL	150	mg/kg	Rat	OECD 407 (Repeated	Negative
repeated exposure (STOT-RE),			bw/d		Dose 28-Day Oral	
oral:					Toxicity Study in	
					Rodents)	
Symptoms:						vomiting,
						headaches,
						gastrointestinal
						disturbances,
						nausea
Pyridine-2-thiol 1-oxide, sodiur	n salt					
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	ATE	500	mg/kg	J		
Acute toxicity, by dermal route:	ATE	790	mg/kg			
Acute toxicity, by inhalation:	ATE	0,5	mg/l			Dusts or mist
Acute toxicity, by inhalation:	ATE	3	mg/l/4h			Vapours
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Skin Irrit. 2
					Dermal	
					Irritation/Corrosion)	
Serious ave damage/irritation:		+		Pabbit		Evo Irrit 2

11.2. Information on other hazards

NOAEL

0,5

Serious eye damage/irritation:

Specific target organ toxicity - repeated exposure (STOT-RE):

Respiratory or skin

sensitisation:

Symptoms:

	AERO Aircraft Cleaner								
	Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes		
1	Endocrine disrupting properties:						Does not apply		
							to mixtures.		

mg/kg

Rabbit

Guinea pig



Page 10 of 16 Safety data sheet according to R Revision date / version: 22.10.20 Replacing version dated / versior Valid from: 22.10.2024 PDF print date: 23.10.2024 AERO Aircraft Cleaner	24 / 0001	6, Annex II (last amended l	by Regulation (EU) 2020/878)	
Other information:				No other relevant information available on adverse effects on health.

SECTION 12: Ecological information

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	-						n.d.a.
12.1. Toxicity to daphnia:							n.d.a.
12.1. Toxicity to algae:							n.d.a.
12.2. Persistence and							The surfactant(s)
degradability:							contained in this
							mixture
							complies(comply
							with the
							biodegradability
							criteria as laid
							down in
							Regulation (EC)
							No.648/2004 on
							detergents. Data
							to support this
							assertion are
							held at the
							disposal of the
							competent
							authorities of the
							Member States
							and will be made available to
							them, at their direct request or
							at the request of
							a detergent
							manufacturer.
12.3. Bioaccumulative							n.d.a.
potential:							11.0.0.
12.4. Mobility in soil:							n.d.a.
12.5. Results of PBT							n.d.a.
and vPvB assessment							
12.6. Endocrine							Does not apply
disrupting properties:							to mixtures.
12.7. Other adverse							No information
effects:							available on
							other adverse
							effects on the
							environment.
Alcohols, C12-14, ethoxy		Time	Value	11	0	Test wethed	Netes
Toxicity / effect 12.1. Toxicity to fish:	Endpoint LC50	Time 96h	Value 1,1	Unit mg/l	Organism Oncorhynchus	OECD 203 (Fish,	Notes
	1030	9011	1,1	ing/i		Acute Toxicity	
					mykiss	Test)	
12.1. Toxicity to fish:	NOEC/NOEL	10d	0,16	mg/l	Pimephales	1630	Analogous



Page 11 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 22.10.2024 / 0001 Replacing version dated / version: 22.10.2024 / 0001 Valid from: 22.10.2024 PDF print date: 23.10.2024 AERO Aircraft Cleaner

œ

12.1. Toxicity to daphnia:	EC50	48h	0,52	mg/l		OECD 202 (Daphnia sp. Acute Immobilisation	
····						Test)	
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	0,77	mg/l	Daphnia magna		Analogous conclusion
12.1. Toxicity to algae:	EL50	72h	0,41	mg/l	Pseudokirchneriell a subcapitata	OECD 201 (Alga, Growth Inhibition Test)	Analogous conclusion
12.1. Toxicity to algae:	NOEC/NOEL	72h	0,31	mg/l	Pseudokirchneriell a subcapitata	OECD 201 (Alga, Growth Inhibition Test)	Analogous conclusion
12.2. Persistence and degradability:		28d	95	%	activated sludge	OECD 301 F (Ready Biodegradability - Manometric Respirometry Test)	Readily biodegradable, Analogous conclusion
12.2. Persistence and degradability:	BOD	5d	1176	mg/g			
12.2. Persistence and degradability:	BOD	14d	>60	%		OECD 301 D (Ready Biodegradability - Closed Bottle Test)	Readily biodegradable
12.2. Persistence and degradability:	COD		2283	mg/g		DIN 38409-H41	
Toxicity to bacteria:	EC50	5h	>2	mg/l	Pseudomonas putida		Analogous conclusion

N-(2-hydroxyethyl)-N-[2-[(1-oxooctyl)amino]ethyl]betaalanine							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	>100	mg/l	Cyprinus carpio	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to daphnia:	EC50	48h	>100	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
Toxicity to bacteria:	EC50	3h	>100	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	2,18	mg/l	Oncorhynchus mykiss	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to daphnia:	EC50	48h	2,94	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to algae:	ErC50	24h	0,1087	mg/l	Pseudokirchneriell a subcapitata		
12.1. Toxicity to algae:	ErC10	24h	0,0268	mg/l	Pseudokirchneriell a subcapitata		
12.2. Persistence and degradability:							Not readily biodegradable



œ Page 12 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 22.10.2024 / 0001 Replacing version dated / version: 22.10.2024 / 0001 Valid from: 22.10.2024 PDF print date: 23.10.2024 AERO Aircraft Cleaner 12.3. Bioaccumulative BCF 6,95 **OECD 305** potential: (Bioconcentration -Flow-Through Fish Test) 12.3. Bioaccumulative Regulation (EC) Log Pow 0,7 440/2008 A.8 potential: (PARTITION COEFFICIENT) 12.5. Results of PBT No PBT and vPvB assessment substance, No vPvB substance OECD 209 Toxicity to bacteria: EC50 3h 12,8 mg/l activated sludge (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) EC20 Toxicity to bacteria: 3h activated sludge **OECD 209** 3,3 mg/l (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) Pyridine-2-thiol 1-oxide, sodium salt Toxicity / effect Endpoint Time Value Unit Organism Test method Notes 12.1. Toxicity to fish: LC50 96h 0,00767 mg/l Brachydanio rerio OECD 203 (Fish, Acute Toxicity Test) 12.1. Toxicity to daphnia: LC50 48h 0,150 mg/l Daphnia magna **OECD 202** References (Daphnia sp. Acute Immobilisation

SECTION 13: Disposal considerations

mg/l

mg/l

%

Test)

Test)

Test) OECD 301 B

(Ready

OECD 201 (Alga,

Growth Inhibition

OECD 201 (Alga.

Growth Inhibition

Biodegradability -Co2 Evolution Test) References

References

biodegradable

Readily

Desmodesmus

Desmodesmus

activated sludge

subspicatus

subspicatus

13.1 Waste treatment methods

For the substance / mixture / residual amounts

LC50

NOEC/NOEL

EC disposal code no.:

12.1. Toxicity to algae:

12.1. Toxicity to algae:

12.2. Persistence and

degradability:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

72h

72h

28d

0,22

0.033

79

allocated under certain circumstances. (2014/955/EU)

07 06 01 aqueous washing liquids and mother liquors

20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

Implement substance recycling.



Page 13 of 16

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 22.10.2024 / 0001 Replacing version dated / version: 22.10.2024 / 0001 Valid from: 22.10.2024 PDF print date: 23.10.2024 AERO Aircraft Cleaner

E.g. suitable incineration plant. E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations. Empty container completely. Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements Transport by road/by rail (ADR/RID)

Transport by road/by rail (ADR/RID)	
14.1. UN number or ID number:	Not applicable
14.2. UN proper shipping name:	
Not applicable	
14.3. Transport hazard class(es):	Not applicable
14.4. Packing group:	Not applicable
14.5. Environmental hazards:	Not applicable
Tunnel restriction code:	Not applicable
Classification code:	Not applicable
LQ:	Not applicable
Transport category:	Not applicable
Transport by sea (IMDG-code)	
14.1. UN number or ID number:	Not applicable
14.2. UN proper shipping name:	
Not applicable	
14.3. Transport hazard class(es):	Not applicable
14.4. Packing group:	Not applicable
14.5. Environmental hazards:	Not applicable
Marine Pollutant:	Not applicable
EmS:	Not applicable
Transport by air (IATA)	
14.1. UN number or ID number:	Not applicable
14.2. UN proper shipping name:	
Not applicable	
14.3. Transport hazard class(es):	Not applicable
14.4. Packing group:	Not applicable
14.5. Environmental hazards:	Not applicable
14.6. Special precautions for user	

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)! Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC): **REGULATION (EC) No 648/2004**

0%

less than 5 % non-ionic surfactants amphoteric surfactants phosphates

BENZISOTHIAZOLINONE



Page 14 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 22.10.2024 / 0001 Replacing version dated / version: 22.10.2024 / 0001 Valid from: 22.10.2024 PDF print date: 23.10.2024 AERO Aircraft Cleaner

LAURYLAMINE DIPROPYLENEDIAMINE SODIUM PYRITHIONE

National rules/regulation for the compliance with maximum quantities with regard to phosphates and or phosphorous compounds must be observed and complied with.

National requirements/regulations on safety and health protection must be applied when using work equipment.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

n.a.

Revised sections:

ആ

These details refer to the product as it is delivered. Employee instruction/training in handling hazardous materials is required.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Eye Dam. 1, H318	Classification according to calculation procedure.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents. H330 Fatal if inhaled. H317 May cause an allergic skin reaction. H302 Harmful if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H318 Causes serious eve damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H372 Causes damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH070 Toxic by eye contact. Eye Dam. — Serious eye damage Aquatic Acute - Hazardous to the aquatic environment - acute Aquatic Chronic - Hazardous to the aquatic environment - chronic Eye Irrit. - Eye irritation Skin Sens. - Skin sensitization Acute Tox. — Acute toxicity - inhalation Acute Tox. - Acute toxicity - oral Skin Irrit. — Skin irritation Acute Tox. — Acute toxicity - dermal STOT RE — Specific target organ toxicity - repeated exposure Key literature references and sources for data: Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended. Guidelines for the preparation of safety data sheets as amended (ECHA). Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA). Safety data sheets for the constituent substances. ECHÁ Homepage - Information about chemicals. GESTIS Substance Database (Germany). German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.



Page 15 of 16

ആ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 22.10.2024 / 0001 Replacing version dated / version: 22.10.2024 / 0001 Valid from: 22.10.2024 PDF print date: 23.10.2024 AERO Aircraft Cleaner

National Lists of Occupational Exposure Limits for each country as amended. Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

according, according to acc., acc. to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials) ATE Acute Toxicity Estimate BAM Bundesanstalt für Materialforschung und -prüfung (= Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) **Bioconcentration factor** BCF BSEF The International Bromine Council CAS **Chemical Abstracts Service** Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances CLP and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon for example (abbreviation of Latin 'exempli gratia'), for instance e.g. EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants) European Community EC ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect EEC European Economic Community EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances ΕN European Norms EPA United States Environmental Protection Agency (United States of America) $ErCx, E\mu Cx, ErLx (x = 10, 50)$ Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) et cetera etc. FU European Union EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number gen. general GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential Adsorption coefficient of organic carbon in the soil Koc octanol-water partition coefficient Kow IARC International Agency for Research on Cancer International Air Transport Association IATA IBC (Code) International Bulk Chemical (Code) International Maritime Code for Dangerous Goods IMDG-code including, inclusive incl. IUCLID International Uniform Chemical Information Database IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) Logarithm of adsorption coefficient of organic carbon in the soil Log Koc Log Kow, Log Pow Logarithm of octanol-water partition coefficient Limited Quantities LQ MARPOL International Convention for the Prevention of Marine Pollution from Ships mg/kg bw mg/kg body weight mg/kg bw/d, mg/kg bw/day mg/kg body weight/day mg/kg dw mg/kg dry weight mg/kg wwt mg/kg wet weight not applicable n.a. not available n.av.



ആ Page 16 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878) Revision date / version: 22.10.2024 / 0001 Replacing version dated / version: 22.10.2024 / 0001 Valid from: 22.10.2024 PDF print date: 23.10.2024 AERO Aircraft Cleaner n.c. not checked n.d.a. no data available NIOSH National Institute for Occupational Safety and Health (USA) NLP No-longer-Polymer NOEC, NOEL No Observed Effect Concentration/Level OECD Organisation for Economic Co-operation and Development organic org. OSHA Occupational Safety and Health Administration (USA) persistent, bioaccumulative and toxic PBT ΡE Polyethylene PNEC Predicted No Effect Concentration ppm parts per million Polyvinylchloride PVC REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) REACH-IT List-No. 6/7/8/9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Tel. Telephone TOC Total organic carbon UN RTDG United Nations Recommendations on the Transport of Dangerous Goods VOC Volatile organic compounds vPvB very persistent and very bioaccumulative

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.